Superfund Amendments and Reauthorization Act (SARA), and the Occupational Safety and Health Administration's (OSHA) human safety guidance regulations.

(v) Contact address and phone number for reporting adverse reactions or to request a copy of the Materials Safety Data Sheet (MSDS).

[41 FR 38652, Sept. 10, 1976, as amended at 54 FR 18281, Apr. 28, 1989; 61 FR 15704, Apr. 9, 1996; 63 FR 53580, Oct. 6, 1998]

#### § 573.480 Formic acid.

Formic acid may be safely used as a preservative in hay crop silage in an amount not to exceed 2.25 percent of the silage on a dry weight basis or 0.45 percent when direct-cut. The top foot of silage stored should not contain formic acid and silage should not be fed to livestock within 4 weeks of treatment.

#### § 573.500 Condensed, extracted glutamic acid fermentation product.

Condensed, extracted glutamic acid fermentation product may be safely used in animal feed under the following conditions:

- (a) The additive is a concentrated mixture of the liquor remaining from the extraction of glutamic acid, combined with the cells of *Corynebacterium lilium* used to produce the glutamic acid.
- (b) It is used or intended for use as follows:
- (1) In poultry feed as a source of protein in an amount not to exceed 5 percent of the total ration.
- (2) In cattle feed as a source of protein in an amount not to exceed 10 percent of the feed.
- (c) In order to assure safe use, the label and labeling of the additive shall bear, in addition to the other information required by the Act, the following:
  - (1) The name of the additive.
- (2) A statement of the concentration of the additive contained in any mixture
  - (3) Adequate directions for use.

# § 573.520 Hemicellulose extract.

Hemicellulose extract may be safely used in animal feed when incorporated therein in accordance with the following conditions:

- (a) The additive is produced from the aqueous extract obtained by the treatment of wood with water at elevated temperatures (325 degrees-535 degrees F) and pressure (80 to 900 pounds per square inch) and contains primarily pentose and hexose sugars.
- (b) The additive may be used in a liquid or dry state with the liquid product containing not less than 55 percent carbohydrate and the dry product containing not less than 84 percent carbohydrate.
- (c) The additive is used as a source of metabolizable energy in animal feed in accordance with good manufacturing and feeding practices.

[41 FR 38652, Sept. 10, 1976, as amended at 43 FR 11181, Mar. 17, 1978]

### §573.530 Hydrogenated corn syrup.

- (a) *Identity.* The product is produced by hydrogenation of corn syrup over a nickel catalyst.
- (b) *Specifications*. The product contains 70 percent hydrogenated corn syrup and a maximum of 0.5 percent reducing sugars.
- (c) *Uses.* The product is used as a humectant and plasticizer in preparation of soft-moist dog and cat foods.
- (d) *Limitations*. The product is preferably stored in a closed, stainless steel or aluminum container. The level of use of the product shall not exceed 15 percent of the total weight of the pet food formulation.
- (e) *Labeling*. The labeling shall bear, in addition to other information required by the Act:
  - (1) The name of the additive.
- (2) Adequate directions for use in accordance with the provisions in paragraph (d) of this section.

[45 FR 22920, Apr. 4, 1980]

# §573.540 Hydrolyzed leather meal.

- (a) *Identity.* Hydrolyzed leather meal is produced from leather scraps that are treated with steam for not less than 33 minutes at a pressure of not less than 125 pounds per square inch.
- (b) *Specifications.* The additive shall conform to the following percent-by-weight specifications:

Moisture, not less than 5 percent nor more than 10 percent. Crude protein, not less than 60 percent.